

ACCESSORIES RAIN GUTTER SYSTEM - G125



Code	Commercial Description	Dimensions	Conf.	Pallet	Selling Unit
------	------------------------	------------	-------	--------	--------------

GRO03-3220MUN	Universal connector	12	24	CF
GRO03-3220RUN	Collettore Centrale Universale	12	24	CF
GRO03-3215M	Joint	12	48	CF
GRO03-3215R	Joint	12	48	CF
GRO03-3200MUN	Universal Corner	11	24	CF
GRO03-3200RUN	Universal Corner	11	24	CF
GRO03-3235MUN	Universal End cap	40	48	CF
GRO03-3235RUN	Universal End cap	40	48	CF
GRO03-3290	Gasket	12	720	CF
GRO03-3295MS	Shaped Stork	50	1000	PZ
GRO03-3295RS	Shaped Stork	50	1000	PZ



GRO03-3295M	Strong gutter holder	6	106	CF
GRO03-3295R	Strong gutter holder	6	106	CF
GRO03-3250M	Support	40	48	CF
GRO03-3250R	Support	40	48	CF
GRO03-3245M	Stabilizer	30	96	CF
GRO03-3245R	Stabilizer	30	96	CF
GRO03-3255M	Pipe connection ø 80 mm	20	48	CF
GRO03-3255R	Pipe connection ø 80 mm	20	48	CF
GRO03-3260M	Bend 45° ø 80 mm	8	48	CF
GRO03-3260R	Bend 45° ø 80 mm	8	48	CF
GRO03-3265M	Bend 67° ø 80 mm	8	48	CF



GRO03-3265R	Bend 67° ø 80 mm	8	48	CF
GRO03-3270M	Bend 87° ø 80 mm	8	48	CF
GRO03-3270R	Bend 87° ø 80 mm	8	48	CF
GRO03-3275M	T connection 45° ø 80 mm	5	48	CF
GRO03-3275R	T connection 45° ø 80 mm	5	48	CF
GRO03-3280M	T connection 87° ø 80 mm	5	48	
GRO03-3280R	T connection 87° ø 80 mm	5	48	
GRO03-3285M	Pipe bracket ø 80 mm	40	96	
GRO03-3285R	Pipe bracket ø 80 mm	40	96	

Description

Gutter brackets that hold the gutter to the wall and can be easily adjusted and fixed into position. Designed for G125 size gutters. Dakota gutter brackets can be used in a variety of environments, including residential, commercial, and industrial structures.

Material

Made of PVC resistant to UV rays.

Use

Gutter brackets are used as joint between rain gutter and pipe.

